


| Slide number | Installation length L (mm) | Travel T (mm) | Load per pair (kg) steel | Dimension A | Dimension B | Dimension C |
|--------------|----------------------------|---------------|--------------------------|-------------|-------------|-------------|
| 13890S03B    | 300                        | 300           | -                        | -           | -           | -           |
| 13890S04B    | 350                        | 350           | -                        | -           | -           | -           |
| 13890S05B    | 400                        | 400           | 1125                     | 50          | -           | 200         |
| 13890S06B    | 450                        | 450           | 1100                     | 50          | -           | 250         |
| 13890S07B    | 500                        | 500           | 1080                     | 50          | -           | 300         |
| 13890S08B    | 550                        | 550           | 1060                     | 50          | -           | 350         |
| 13890S09B    | 600                        | 600           | 1050                     | 50          | -           | 400         |
| 13890S10B    | 650                        | 650           | 1040                     | 50          | 200         | -           |
| 13890S11B    | 700                        | 700           | 1025                     | 50          | 225         | -           |
| 13890S12B    | 750                        | 750           | 1000                     | 50          | 250         | -           |
| 13890S13B    | 800                        | 800           | 975                      | 50          | 275         | -           |
| 13890S14B    | 850                        | 850           | 950                      | 50          | 300         | -           |
| 13890S15B    | 900                        | 900           | 920                      | 50          | 325         | -           |
| 13890S16B    | 950                        | 950           | 890                      | 50          | 350         | -           |
| 13890S17B    | 1000                       | 1000          | 860                      | 50          | 375         | -           |
| 13890S18B    | 1050                       | 1050          | 830                      | 50          | 400         | -           |
| 13890S19B    | 1100                       | 1100          | 805                      | 50          | 425         | -           |
| 13890S20B    | 1150                       | 1150          | 775                      | 50          | 450         | -           |
| 13890S21B    | 1200                       | 1200          | 750                      | 50          | 475         | -           |

The load capacities are based on a 1% deflection test based on a simulation model (Finite Element Analysis)  
 Load capacity in practice always depends on mounting use and other external factors that can influence this.  
 Tolerance  $\pm 0,5\text{mm}$  measured from reference point.

|   |                         |                            |                       |                         |           |
|---|-------------------------|----------------------------|-----------------------|-------------------------|-----------|
| Designer M.Urlings  | Gen.Tol.Dim. $\pm 0.5$  | Third angle projection<br> | Material              |                         |           |
| Date 19-7-2018  | Gen.Tol.Angle $\pm 0.5$ |                            | Treatment             |                         |           |
| Approver  | Gen.Roughness Ra        |                            | Draw type Fabrication | Doc.No. Standard        |           |
| Date  | Units mm/deg.           |                            | Scale 1 : 6           | Type                    | Model No. |
| Description<br><b>SUPREME TR9036 - (36) BILEX</b>   |                         |                            |                       |                         |           |
|   |                         |                            |                       | Released for Production |           |
| Format A3   |                         |                            | Item No. 13890-SxxB   | Revision 00             |           |
| © THOMAS REGOUT INTERNATIONAL BV, Industrieweg 40, 6219 NR, Maastricht, The Netherlands, +31 (0)43 351 66 66 All rights are reserved. |                         |                            |                       |                         |           |



C-C (1 : 2)

B-B (1 : 2)