



Slide number	Installation length L (inch)	Travel T (inch)	Load per pair (kg) steel	Load per pair (kg) aluminum	Dimension A	Dimension B	Dimension C
13850S01B	7,874	7,874	340	110	1,969	-	-
13850S02B	9,843	9,843	350	120	1,969	-	1,969
13850S03B	11,811	11,811	360	130	1,969	-	3,937
13850S04B	13,780	13,780	370	140	1,969	-	5,906
13850S05B	15,748	15,748	380	150	1,969	-	7,874
13850S06B	17,717	17,717	390	160	1,969	-	9,843
13850S07B	19,685	19,685	400	170	1,969	-	11,811
13850S08B	21,654	21,654	410	180	1,969	5,906	-
13850S09B	23,622	23,622	420	175	1,969	6,890	-
13850S10B	25,591	25,591	410	170	1,969	7,874	-
13850S11B	27,559	27,559	400	165	1,969	8,858	-
13850S12B	29,528	29,528	390	160	1,969	9,843	-
13850S13B	31,496	31,496	380	155	1,969	10,827	-
13850S14B	33,465	33,465	370	150	1,969	11,811	-
13850S15B	35,433	35,433	360	145	1,969	12,795	-
13850S16B	37,402	37,402	350	140	1,969	13,780	-
13850S17B	39,370	39,370	340	135	1,969	14,764	-
13850S18B	41,339	41,339	330	130	1,969	15,748	-
13850S19B	43,307	43,307	320	125	1,969	16,732	-
13850S20B	45,276	45,276	310	120	1,969	17,717	-
13850S21B	47,244	47,244	290	115	1,969	18,701	-

MATERIAL	ITEM NUMBER
STEEL	13850SxxB
ALUMINIUM	13850Sxx7B



The load capacities are based on a 1% deflection test based on a simulation model (Finite Element Analysis) Load capacity in practice always depends on mounting use and other external factors that can influence this. Tolerance ±0.5mm measured from reference point.

**DIMENSIONS ARE CALCULATED FROM METRIC VALUES**  
**THOMAS REGOUT INT. BV. RESERVES THE RIGHT TO**  
**ALTER NON-CUSTOMER SPECIFICATIONS WITHOUT NOTICE**

Designer M. Urlings	Gen.Tol.Dim. ± 0.0197	Third angle projection	Material	
Date 19-7-2018	Gen.Tol.Angle ± 0.0197		Treatment	
Approver	Gen.Roughness Ra		Draw type Fabrication	Doc.No. E000146898
Date	Units inch/deg.		Scale 1 : 2	Type

Description  
**SUPREME TR5030 - (30) BILEX**

Format A2		Item No. 13850-SxxB	Revision 01
-----------	--	---------------------	-------------

© THOMAS REGOUT INTERNATIONAL BV, Industrieweg 40, 6219 NR, Maastricht, The Netherlands, +31 (0)43 351 66 66 All rights are reserved.

Rev	Date	Description	Designer
01	07-04-2023	REVISED MODEL AND TABLE.	R.G