THOMAS REGOUT
INTERNATIONAL B.V.

Furniture



Furniture

solutions in movement

solutions in movement

THOMAS REGOUT
INTERNATIONAL B.V.

Thomas Regout International B.V. offers a broad range of sliding solutions that help move your application in any direction: horizontal, vertical and diagonal.

Our slides can be found in a wide range of applications in many market segments. In our long history we have grown into the company we are today: a major innovative player in automotive and industrial markets, as well as in furniture, professional storage and audio visual segments. We are continuously broadening our product range with new product groups, features and other solutions to fulfil your needs.

Furniture

In our own R&D department we design innovative sliding systems for different furniture applications. During the years we have gained a lot of experience and for that reason we can provide our customers with an extensive line of special features and telescopic slides with a high quality feeling. Besides Thomas Regout's outstanding design capabilities for the wide range of products in the furniture markets, the company is also competent in designing complete customized systems.

Our main focus is to be and to remain the best quality partner for our customers in mutual beneficial partnerships; partnerships that add value and power to your and our organization.



Office furniture



Kitchen furniture



Shopfitting

Ulf HD	Titan	Larder unit	Finn
			

Products

Our wide range of sliding systems can be used in a lot of different furniture applications. Our main products in this program are the Ulf HD, the Titan, Larder unit and the Finn slide.

Finn The Finn is a 2-beam cold rolled drawer slide applicable for medium duty applications such as kitchen and bathroom drawers. The Bilex version allows access from both sides of the drawer without any loss of space. Bayonets, countersunk holes, drawer carriers and other possibilities are available for mounting.

Ulf HD The Ulf HD is a 3 beam slide to offer a 100% to 130% extension with a load capacity of approximately 100 kg. This slide can be used together with different features as a soft-close, pull in, disconnect and many more for the office and shopfitting markets.

Titan The Titan is a heavy duty slide with a load capacity up to 200 kg combined with a travel of 130%. This type of slide is applicable in heavy loaded storage systems for kitchens and shopfitting applications.

Larder unit The smooth movement combined with a 110 mm pull in and a load capacity of 80 - 300 kg makes this system unique for the kitchen market. The soft-close damper gives an exclusive feeling towards the end user. This product can be used as well in heavy duty cabinet solutions in the office market.



"We co-create together with our customers and therefore offer custom-made solutions that exactly fit their needs."

Ronald (Research & Development)

THOMAS REGOUT
INTERNATIONAL B.V.



Thomas Regout International B.V.

Industrieweg 40
6219 NR Maastricht
The Netherlands

T. +31 (0)43 351 66 66
F. +31 (0)43 351 66 99

E. sales@tregout.nl


www.thomasregout.com

02.4.1. Furniture The information in this leaflet can be subject to changes.

custom made slides

SINGLE EXTENSION


Junior	Ems	Leon	Bicom	Elbe	Finn	Ado		
10 kg	35 kg / 30 kg	58 kg / 41 kg	58 kg / 40 kg	72 kg / 41 kg	81 kg / 62 kg	117 kg / 73 kg (bottom mount 60 kg)		



SINGLE EXTENSION TWO WAY


Length, travel and weight are customer specific

Ems	Leon	Finn	HAS	FlexFit 1529	FlexFit 1537		




FULL EXTENSION

Double Ems	Double Leon	Double Bicom	Double Elbe	Double Finn	Allman	Sten	Solar	Tricom
28 kg / 23 kg	51 kg / 34 kg	51 kg / 34 kg	60 kg / 50 kg	74 kg / 55 kg	25 kg	45 kg	135 kg / 90 kg	135 kg / 90 kg



Ulf HD	Titan	Condor	Jumbo	Alu	Hybrid *	Hybrid **	Hybrid
204 kg / 111 kg	275 kg / 156 kg	289 kg	310 kg	40 kg	Double Leon 40 kg	Double Leon 70 kg	ULF HD 60 kg


FULL EXTENSION ALUMINIUM



FULL EXTENSION TWO WAY

Length, travel and weight are customer specific

Bilex




LARDER UNIT

Larder Unit Wood	Larder Unit Steel	Larder Unit Heavy Duty
80-120 kg	80-120 kg	300 kg

SUPER HEAVY DUTY

Supra TR-7526	Supra TR-7532	Supra TR-8026	Supreme	Supreme
387 kg	250 kg	330 kg aluminium	50 - 2100 kg	S-design slide 150 - 420 kg











Technical specifications:

Static load capacity is based on <10000 cycles. Dynamic load capacity is based on 100000 cycles.

Installation width per slide + 0,5 mm for optimal movement.












* D. Leon Hybrid based on 20.000 cycles, length 300 - 500 mm

** D. Leon Hybrid HD based on 30.000 cycles, length 300 - 500 mm

	telescopic slide single extension slides	technical drawing	description length mm	 travel mm	load capacity cycles 10.000	 cycles 50.000	 cycles 100.000	art. nr.	fixation
TR - 2710 EMS 1			300 350 400 500	210 240 290 370	22 kg 26 kg 26 kg 28 kg		17 kg 20 kg 20 kg 22 kg	109042F 109043F 109044F 109046F	Cabinet side Metal: M4 / ISO 7380 Wood: 4,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 Wood: 3,5 / DIN 7997
TR - 2711 EMS 2	 Drawer Carrier		300 350 400 450 500 550 600	210 240 290 340 370 420 460	22 kg 26 kg 26 kg 26 kg 28 kg 23 kg 23 kg		17 kg 20 kg 20 kg 20 kg 22 kg 18 kg 18 kg	109049F 109050F 109051F 109052F 109053F 109054F 109055F	Cabinet side Metal: M4 / ISO 7380 Wood: 4,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 3714 FINN 2	 Bumper with hold closed		300 350 400 450 500 600 700	205 239 289 339 373 457 541	78 kg 63 kg 54 kg 46 kg 54 kg 56 kg 56 kg		60 kg 49 kg 42 kg 36 kg 42 kg 43 kg 43 kg	107230F 107231F 107232F 107233F 107234F 107236F 107238F	Cabinet side Metal: M4 / DIN 7984 M4 / M5 / ISO 7380 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,5 / DIN 7997
TR - 3715 FINN 3	 Drawer Carrier Bumper with hold closed		300 350 400 450 500 600 700	205 239 289 339 373 457 541	78 kg 63 kg 54 kg 46 kg 54 kg 56 kg 56 kg		60 kg 49 kg 42 kg 36 kg 42 kg 43 kg 43 kg	107239F 107240F 107241F 107242F 107243F 107245F 107247F	Cabinet side Metal: M4 / DIN 7984 M5 / DIN 7985 / ISO 7045 M4 / M5 / ISO 7380 Wood: 5,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 3727 FINN DOUBLE	 Full extension slide Bumper with hold closed		315	395	vertical mounted 52 kg horizontal mounted 32 kg		 40 kg 25 kg	117270	Cabinet side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,0 / DIN 7997
TR - 4522 ADO	 Bumper without hold closed		350	224	vertical mounted 91 kg horizontal mounted 58 kg		 70 kg 45 kg	105042	Cabinet side Metal: M6 / DIN 965 / ISO 7046 Wood: 6,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,0 / 4,5 / DIN 7997

standard program










telescopic slides





telescopic slide full extension slides	technical drawing	description length mm	 travel mm	load capacity cycles 10.000	 cycles 100.000	art. nr.	fixation
TR - 5513 Solar S  Integrated soft close damper		350 400 450 500	332 400 450 505	45 kg 55 kg 60 kg 60 kg	38 kg 45 kg 60 kg 60 kg	103R92F* 103R93F 103R94F* 103R95F	Cabinet side Metal: M5 / DIN 965 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 Wood: 4,0 / 4,5 / DIN 7997
TR - 5619 ULF HD B  Drawer Carrier Bumber with hold closed		300 350 400 450 500 550 600 700	320 375 440 495 550 600 650 750	94 kg 96 kg 97 kg 110 kg 119 kg 118 kg 123 kg 129 kg	68 kg 77 kg 73 kg 83 kg 90 kg 91 kg 97 kg 103 kg	112S01F 112S02F 112S03F 112S04F 112S05F 112S06F 112S07F 112S08F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 5617 ULF HD D  Bumber with hold closed		300 350 400 450 500 550 600 700 800 900 1000	320 375 440 495 550 600 650 750 848 950 1050	94 kg 96 kg 97 kg 110 kg 119 kg 118 kg 123 kg 129 kg 121 kg 105 kg 81 kg	68 kg 77 kg 73 kg 83 kg 90 kg 91 kg 97 kg 103 kg 102 kg 90 kg 72 kg	112S21F 112S22F 112S23F 112S24F 112S25F 112S26F 112S27F 112S28F 112S29F 112S30F 112S31F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 M4 / DIN 7991 / ISO 10462 Wood: 4,0 / 4,5 / DIN 7997
TR - 5620 ULF HD E  Drawer Carrier Pull in with fail-safe		300 350 400 450 500 550 600 700 800	285 350 400 450 500 550 600 700 800	94 kg 96 kg 97 kg 110 kg 119 kg 118 kg 123 kg 129 kg 121 kg	64 kg 73 kg 77 kg 88 kg 90 kg 98 kg 99 kg 103 kg 106 kg	112S41F 112S42F 112S43F 112S44F 112S45F 112S46F 112S47F 112S48F 112S49F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 M5 / DIN 7991 / ISO 10462 Wood: 5,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 5618 ULF HD F  Pull in with fail-safe		300 350 400 450 500 550 600 700 800	285 350 400 450 500 550 600 700 800	94 kg 96 kg 97 kg 110 kg 119 kg 118 kg 123 kg 129 kg 121 kg	64 kg 73 kg 77 kg 88 kg 90 kg 98 kg 99 kg 103 kg 106 kg	112S61F 112S62F 112S63F 112S64F 112S65F 112S66F 112S67F 112S68F 112S69F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 M5 / DIN 7991 / ISO 10462 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 M4 / DIN 7991 / ISO 10462 Wood: 4,0 / 4,5 / DIN 7997
TR - 5618 ULF HD BILEX 100% extension on two sides 		500 600 700 800	503 - 503 607 - 607 711 - 711 815 - 815	114 kg 119 kg 131 kg 138 kg	76 kg 79 kg 87 kg 92 kg	112511F 112510F 112509F 112512F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,5 / DIN 7997
TR - 5619 ULF HD S  Integrated soft close damper		350 400 450 500 550 600 700	335 400 451 506 555 612 700	65 kg 75 kg 75 kg 75 kg 75 kg 75 kg 75 kg	57 kg 68 kg 75 kg 75 kg 75 kg 75 kg 75 kg	112S82F 112S83F 112S84F 112S85F 112S86F 112S87F 112S88F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 M5 / DIN 7991 / ISO 10462 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 M4 / DIN 7991 / ISO 10462 Wood: 4,0 / 4,5 / DIN 7997

* min. of 250 pair, lead time on request






standard program

telescopic slides







telescopic slide full extension slides	technical drawing	description length mm	 travel mm	load capacity cycles 10.000	 cycles 50.000	 cycles 100.000	art. nr.	fixation
TR - 7120 TITAN B  Drawer Carrier Bumber with hold closed		400 450 500 550 600 700	435 485 545 595 650 750	157 kg 160 kg 169 kg 187 kg 189 kg 187 kg		97 kg 103 kg 115 kg 118 kg 118 kg 137 kg	101S03F 101S04F 101S05F 101S06F 101S07F 101S08F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 7118 TITAN D  Bumber with hold closed		400 450 500 550 600 700 800 900 1000	435 485 545 595 650 750 850 950 1050	157 kg 160 kg 169 kg 187 kg 189 kg 187 kg 212 kg 192 kg 179 kg		97 kg 103 kg 115 kg 118 kg 118 kg 137 kg 147 kg 125 kg 108 kg	101S23F 101S24F 101S25F 101S26F 101S27F 101S28F 101S29F 101S30F 101S31F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,0 / 4,5 / DIN 7997
TR - 7120 TITAN E  Drawer Carrier Pull in with fail-safe		400 450 500 550 600 700 800	400 450 500 550 600 700 800	170 kg 190 kg 212 kg 230 kg 230 kg 228 kg 219 kg		103 kg 116 kg 125 kg 140 kg 145 kg 145 kg 155 kg	101S43F 101S44F 101S45F 101S46F 101S47F 101S48F 101S49F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M3 / DIN 7985 / ISO 7045 Wood: 3,0 / DIN 7997
TR - 7118 TITAN F  Pull in with fail-safe		400 450 500 550 600 700 800	400 450 500 550 600 700 800	170 kg 190 kg 212 kg 230 kg 230 kg 228 kg 219 kg		103 kg 116 kg 125 kg 140 kg 145 kg 145 kg 155 kg	101S63F 101S64F 101S65F 101S66F 101S67F 101S68F 101S69F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 Wood: 4,0 / 4,5 / DIN 7997
TR - 7125 CONDOR 150 - 180% Extension  Bumper without hold closed		300 400 500 600 700 800 900	395 595 750 900 1050 1200 1350	80 kg 90 kg 90 kg 100 kg 100 kg 100 kg 100 kg			111M32F 111M33F 111M34F 111M35F 111M36F 111M37F 111M38F	Cabinet side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500 Wood: 5,0 / DIN 7997 Drawer side Metal: M4 / DIN 965 / ISO 7046 M4 / DIN 7500 M4 / DIN 7991 / ISO 10462 Wood: 4,0 / 4,5 / DIN 7997
TR - 7619 JUMBO  Bumper without hold closed Lock in / Lock out		300 400 500 600 700 800 900 1000 1200 1500	298 398 512 610 708 806 904 1000 1212 1504	225 kg 250 kg 260 kg 275 kg 295 kg 310 kg 320 kg 325 kg 295 kg 225 kg	195 kg 210 kg 230 kg 255 kg 280 kg 300 kg 310 kg 315 kg 280 kg 195 kg		114S01 114S03 114S05 114S07 114S08 114S09 114S10 114S11 114S12 114S15	Cabinet side Metal: M5 / DIN 7984 M5 / M6 / ISO 7380 Drawer side Metal: M5 / DIN 7984 M5 / M6 / ISO 7380
		TR - 7619 JUMBO features & art. nr.			with lock in	with lock out	with lock in/out front release	
					114S01A 114S03A 114S05A 114S07A 114S08A 114S09A 114S10A 114S11A 114S12A 114S15A	114S01B 114S03B 114S05B 114S07B 114S08B 114S09B 114S10B 114S11B 114S12B 114S15B	114S01D 114S03D 114S05D 114S07D 114S08D 114S09D 114S10D 114S11D 114S12D 114S15D	










	larder units full extension slides	technical drawing	descript. L mm	T mm	load cap. cycles 10.000	art. nr.		L mm	T mm	art. nr.	T mm	art. nr.		L mm	T mm	art. nr.
Larder Unit for Wood			bottom slide TITAN					top slide FINN roller			top slide U-guide			top slide ULF HD pin		
			425	425	80 - 120 kg	150A42		412	289	127A10	425	1556441		403	455	124B37
			485	485	80 - 120 kg	150A37		465	312	127A08	480	1556438		458	510	124B34
			585	585	80 - 120 kg	150A40		465	312	127A08	580	1556439		556	610	124B35
			750	750	80 - 120 kg	150A41		675	424	127A09	750	1556440		721	780	124B36
			optional bracket set			1539954										
Larder Unit for Steel			bottom slide TITAN KIT inclusive					top slide ULF HD pin			optional top slide FINN roller					
			425	425	80 - 120 kg	150A20		403	455					412	289	127A10
			485	485	80 - 120 kg	150A19		458	510					465	312	127A08
Larder Unit for Heavy duty			bottom slide JUMBO KIT inclusive top slide ULF HD pin													
			650	650	300 kg	150A38										

please visit our website www.thomasregout.com for more customized solutions

	linear guides	technical drawing	description	length mm	travel mm	load cap. cycles 60.000 (1 meter per cycle)	art. nr.	fixation
FlexFit - 1537			3 wheel carrier			Rad. 800N	205S01	Cabinet side
			5 wheel carrier			Rad. 1150N	205S02	Metal: M5 - 8.8 / DIN 7991 / ISO 10463
			Profile - galvanised steel	max 2394**	depending on length	on request	205S03	Wood: 5,0 / DIN 7997
			Profile - stainless steel	max 3994**	depending on length	on request	205S098	Drawer side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500
			Grease gadus S2		weight 20 gram		16901223	
FlexFit - 1529			3 wheel carrier			Rad. 425N	205S05	Cabinet side
			5 wheel carrier			Rad. 650N	205S06	Metal: M5 - 8.8 / DIN 7991 / ISO 10462
			Profile - galvanised steel	max 2394**	depending on length	on request	205S07	Wood: 5,0 / DIN 7997
			Profile - stainless steel	max 3994**	depending on length	on request	205S108	Drawer side Metal: M5 / DIN 965 / ISO 7046 M5 / DIN 7500
			Grease gadus S2		weight 20 gram		16901223	
FlexFit rubberstop			Endstop 1537	37x12x30			205S118	
			Endstop 1529	29x12x30			205S128	

** customer specific available in all lengths

	heavy duty full extension slides	technical drawing	description length mm	travel mm	load capacity cycles 10.000	art. nr.	fixation
TR - 7532 SUPRA			300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	450 525 600 675 750 825 900 975 1050 1125 1200 1275 1350 1425 1500	150 kg 184 kg 212 kg 224 kg 232 kg 240 kg 250 kg 235 kg 220 kg 200 kg 180 kg 160 kg 140 kg 120 kg 100 kg	13875S61 13875S62 13875S63 13875S64 13875S65 13875S66 13875S67 13875S68 13875S69 13875S70 13875S71 13875S72 13875S73 13875S74 13875S75	Cabinet side Metal: M5 / DIN 7991 / ISO 10462 Drawer side Metal: M6 / DIN 7991 / ISO 10462
TR - 7526 - 100 SUPRA	100% Extension 		300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	310 360 410 460 510 560 610 660 710 760 810 860 910 960 1010	360 kg 380 kg 390 kg 400 kg 410 kg 420 kg 430 kg 420 kg 410 kg 400 kg 390 kg 380 kg 370 kg 360 kg 350 kg	13875S01 13875S02 13875S03 13875S04 13875S05 13875S06 13875S07 13875S08 13875S09 13875S10 13875S11 13875S12 13875S13 13875S14 13875S15	Cabinet side Metal: M5 / DIN 7991 / ISO 10462 Drawer side Metal: M8 / DIN 7991 / ISO 10462
TR - 7526 - 120 SUPRA	120% Extension 		300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	360 420 480 540 600 660 720 780 840 900 960 1030 1080 1140 1200	324 kg 342 kg 351 kg 360 kg 396 kg 378 kg 387 kg 378 kg 369 kg 360 kg 350 kg 342 kg 333 kg 324 kg 315 kg	13875S31 13875S32 13875S33 13875S34 13875S35 13875S36 13875S37 13875S38 13875S39 13875S40 13875S41 13875S42 13875S43 13875S44 13875S45	Cabinet side Metal: M5 / DIN 7991 / ISO 10462 Drawer side Metal: M8 / DIN 7991 / ISO 10462
TR - 8026 ALU SUPRA	 Aluminium slide		300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	285 335 385 435 485 535 585 635 685 735 785 835 885 935 985	250 kg 260 kg 270 kg 280 kg 300 kg 320 kg 330 kg 315 kg 300 kg 290 kg 280 kg 270 kg 260 kg 250 kg 240 kg	13880S01 13880S02 13880S03 13880S04 13880S05 13880S06 13880S07 13880S08 13880S09 13880S10 13880S11 13880S12 13880S13 13880S14 13880S15	Cabinet side Metal: M5 / DIN 7991 / ISO 10462 Drawer side Metal: M8 / DIN 7991 / ISO 10462
SUPREME	 • Steel • Aluminium • Stainless steel < 2100						length / extension 200 - 1200 mm load capacity 50 - 2100 kg More information; check our complete Supreme program on www.thomasregout.com or ask our sales team.
SUPREME S-design slide	 < 420						length / extension 200 - 1200 mm load capacity 150 - 420 kg More information; check our complete Supreme program on www.thomasregout.com or ask our sales team.

telescopic slide full extension slides	technical drawing	description length mm	 travel mm	load capacity cycles 10.000	 cycles 50.000	 cycles 100.000	art. nr.	fixation
TRA - 1710 JUNIOR			178	129	8 kg	5 kg		13617S07	screw mount
			182	133	8 kg	5 kg		13617S08	screw mount
			214	140	8 kg	5 kg		13617S09	screw mount
			246	172	11 kg	8 kg		13617S01	screw mount
			278	204	11 kg	8 kg		13617S10	screw mount
			310	212	13 kg	10 kg		13617S02	screw mount
			342	244	13 kg	10 kg		13617S03	screw mount
			374	276	11 kg	8 kg		13617S11	screw mount
			406	308	11 kg	8 kg		13617S04	screw mount
			438	318	10 kg	7 kg		13617S05	screw mount
			470	350	8 kg	5 kg		13617S12	screw mount
			502	382	8 kg	5 kg		13617S06	screw mount
TRA - 3613SD ALLMAN			250	250	20 kg	18 kg	15 kg	13636S00	Cabinet side
			300	300	20 kg	18 kg	15 kg	13636S01	Metal: M3 / M4 / ISO 7380
			350	350	22 kg	20 kg	18 kg	13636S02	Wood: 2,9 / DIN 7981 / ISO 7049
			400	400	25 kg	22 kg	20 kg	13636S03	
			450	450	25 kg	22 kg	20 kg	13636S04	Drawer side:
			500	500	22 kg	20 kg	18 kg	13636S05	Metal: M3 / DIN 7984
			550	550	22 kg	20 kg	18 kg	13636S06	M3 / DIN 7985 / ISO 7045
			600	600	20 kg	18 kg	15 kg	13636S07	M4 / ISO 7380
			650	650	20 kg	18 kg	15 kg	13636S08	Wood: 2,9 / DIN 7981 / ISO 7049
			700	700	20 kg	18 kg	15 kg	13636S09	
TRA - 4613SD STEN			250	250	45 kg	38 kg	32 kg	13645S20	Cabinet side
			300	300	46 kg	40 kg	34 kg	13645S21	Metal: M4 / DIN 7984
			350	350	48 kg	42 kg	36 kg	13645S22	M3 / DIN 7985 / ISO 7045
			400	400	51 kg	45 kg	39 kg	13645S23	M4 / ISO 7380
			450	450	51 kg	45 kg	39 kg	13645S24	Wood: 3,5 / DIN 7981 / ISO 7049
			500	500	48 kg	42 kg	36 kg	13645S25	
			550	550	46 kg	40 kg	34 kg	13645S26	Drawer side
			600	600	44 kg	40 kg	34 kg	13645S27	Metal: M4 / ISO 7380
			650	650	42 kg	38 kg	32 kg	13645S28	Wood: 3,5 / DIN 7981 / ISO 7049
			700	700	42 kg	38 kg	32 kg	13645S29	
			750	750	40 kg	36 kg	30 kg	13645S30	
			800	800	40 kg	36 kg	30 kg	13645S31	
TRA - 4613CL STEN			300	300	33 kg	30 kg	24 kg	13645S41	Cabinet side
			350	350	38 kg	35 kg	29 kg	13645S42	Metal: M4 / DIN 7984
			400	400	43 kg	40 kg	34 kg	13645S43	M3 / DIN 7985 / ISO 7045
			450	450	43 kg	40 kg	34 kg	13645S44	M4 / ISO 7380
			500	500	38 kg	35 kg	29 kg	13645S45	Wood: 3,5 / DIN 7981 / ISO 7049
			550	550	33 kg	30 kg	24 kg	13645S46	
			600	600	32 kg	30 kg	24 kg	13645S47	Drawer side
			650	650	30 kg	28 kg	22 kg	13645S48	Metal: M3 / DIN 7984
			700	700	30 kg	28 kg	22 kg	13645S49	M3 / DIN 7985 / ISO 7045
									M4 / ISO 7380
									Wood: 2,9 / DIN 7981 / ISO 7049
TRA - 4613SMC STEN			300	300	26 kg	20 kg	14 kg	13645S61	Cabinet side
			350	350	26 kg	20 kg	14 kg	13645S62	Metal: M4 / DIN 7984
			400	400	31 kg	25 kg	19 kg	13645S63	M3 / DIN 7985 / ISO 7045
			450	450	36 kg	30 kg	24 kg	13645S64	M4 / ISO 7380
			500	500	36 kg	30 kg	24 kg	13645S65	Wood: 3,5 / DIN 7981 / ISO 7049
			550	550	31 kg	25 kg	19 kg	13645S66	
			600	600	31 kg	25 kg	19 kg	13645S67	Drawer side
			650	650	26 kg	20 kg	14 kg	13645S68	Metal: M3 / DIN 7984
									M3 / DIN 7985 / ISO 7045
									M4 / ISO 7380
									Wood: 2,9 / DIN 7981 / ISO 7049
TRA - 4613PO STEN			350	350	38 kg	35 kg	29 kg	13645S82	Cabinet side
			400	400	43 kg	40 kg	34 kg	13645S83	Metal: M4 / DIN 7984
			450	450	43 kg	40 kg	34 kg	13645S84	M3 / DIN 7985 / ISO 7045
			500	500	38 kg	35 kg	29 kg	13645S85	M4 / ISO 7380
			550	550	33 kg	30 kg	24 kg	13645S86	Wood: 3,5 / DIN 7981 / ISO 7049
			600	600	30 kg	24 kg	20 kg	13645S87	
			650	650	30 kg	24 kg	20 kg	13645S88	Drawer side
									Metal: M3 / DIN 7984
									M3 / DIN 7985 / ISO 7045
									M4 / ISO 7380
									Wood: 2,9 / DIN 7981 / ISO 7049

 The information in this leaflet can be subject to changes.

features, fixations, systems and surface treatments

FEATURES


Bumper without hold closed	Bumper with hold closed	Hold out	Hold out disconnection inner profile	Lock out disconnection inner profile	Lock in	Soft close damper integrated	Soft close damper outside	Pull in 30N 22mm
								

Pull in 42N 35mm	Pull in 54N 22mm	Electric Discharging	Push to open
			

FIXATIONS

Holes	Countersunk holes	Press inserts	Studs	Studs threaded	Tabs / Bajonets	Slotted strip bracket	Spacer bracket	Drawer carrier
						 spotwelded	 spotwelded	 spotwelded

SYSTEMS

Larder Unit	ISL Integrated slide lock	ISL lock	Rack and Pinion	UDL
				

SURFACE TREATMENTS

- Bright zinc chromate, black passivation, up to 120 hours (white corrosion), organic / inorganic leachant sealant NEN EN-ISO 9227 / ASTM-B117)
- Bright zinc chromate, blue passivation up to 96 hours (white corrosion), organic / inorganic leachant sealant NEN EN-ISO 9227 / ASTM-B117)
- Pre- galvanized (Sendzimir)